

# SilverCat

## 34LUX



*Smart Own*

**From Dubai to the World**

[www.smartown.ae](http://www.smartown.ae) | [info@smartown.ae](mailto:info@smartown.ae) | +971 4 4438970

# Characteristics

## Length Overall:

"without engines"

34 ft 5 in (10.47 m)

## Beam:

10 ft 8 in (3.24 m)

## Draft:

1 ft 4 in (0.40 m)

## Hull Type:

Twin Hull Catamaran

## Hull Material:

GRP

## Displacement:

3.8 tons

## Max HP:

Recommended

600 hp (448 kW)

## Fuel Tank Capacity:


300 US gal (1,136 l)

## Water Tank Capacity:

20 US gal (75.7 l)

## Max no. of persons onboard:

12 persons



SilverCat 34LUX

# Standard Features

- Audio System (Stereo + 4 Speakers)
- Navigation Lights
- Anchor Light
- Marine Horn
- 12V Blower
- Flood Light 2Pcs
- Underwater Lights 2Pcs
- Electric Bilge Pump
- Marine Toilet – Electric
- Hydraulic Steering System
- Windscreen Wiper Single
- Battery
- Deck Wash Down System
- Transom Shower
- Synthetic Flooring at Cockpit Area
- Rod Holder on Hardtop (5Nos with Bracket)
- SS Windlass Winch with RC Pad
- Anchor, Chain & Rope
- Bow Roller
- Hull Stripe
- Deck Cleats
- Antifouling
- Fire Extinguisher 2Kg

## **Navigation & Communications:**

- One multifunction GPS Display 12inch
- VHF Radio Single Station
- Compass
- Automatic Identification System (AIS)
- Radar
- Bluechart G3 Card
- Bronze Transducer
- Autopilot Single Station

SilverCat 34LUX

# Optional Features

- Life Jacket
- Courtesy Light LED
- RC Search Light Single
- Manual Bilge Pump 2Pcs

## **For Shipping:**

- Shrink Wrapping
- Wooden Shipping Stand
- Loading and Lashing Belts

## **Generator and Appliances:**

- Marine Generator 8KW
- Roof-Top A/C Self contained unit 12000BTU
- Electric Hob
- Refrigerator 131L
- Battery Charger 40amp
- Shore Power Socket with 50ft Cable
- Socket 230

# Exterior



SilverCat 34LUX

# Interior



SilverCat 34LUX



SilverCat 34LUX



*Smart Own*

**From Dubai to the World**

[www.smartown.ae](http://www.smartown.ae) | [info@smartown.ae](mailto:info@smartown.ae) | +971 4 4438970

